

English language proficiency test results - Engineering Department 26/09/2025

ID number	Test level	Percentage of correct answers [%]	Test passed
521591	B1	71,5	Yes
529671	B1	57,5	NO
542026	B2	71,35	Yes
542763	B1	80	Yes
545041	B1	81,5	Yes
545372	B2	70,66	Yes
547857	B1	70	Yes
548963	B1	absent	-
553744	B1	93	Yes
553952	B1	64,5	Yes
553988	B2	absent	-
554068	B1	68,5	Yes
554119	B1	absent	-
554247	B2	92,69	Yes
554384	B1	91	Yes
554641	B2	69,45	Yes
554812	B1	absent	-
555435	B2	74,82	Yes
555436	B1	68	Yes
555466	B1	62,5	Yes
557211	B1	61,5	Yes
557438	B2	55,69	NO
558002	B1	60,5	Yes
560082	B1	53,5	NO
561304	B2	90,76	Yes
561356	B2	73,39	Yes
563405	B2	71,02	Yes
563648	B2	66,92	Yes
566111	B1	64	Yes
566252	B1	60,5	Yes
567065	B1	77	Yes
568434	B1	70,5	Yes
568962	B1	68	Yes
569049	B2	absent	-
569542	B1	77	Yes
569669	B1	79,5	Yes
569710	B1	absent	-
569719	B1	82	Yes

573800	B2	86,89	Yes
573860	B2	62,94	Yes
573861	B2	64,15	Yes
573938	B1	76	Yes
574004	B2	61	Yes
574398	B2	absent	-
575305	B2	absent	-
575310	B2	77,37	Yes
575451	B2	83,45	Yes
575906	B2	83,32	Yes
577168	B2	71,03	Yes
579383	B2	72,55	Yes
580702	B2	79,97	Yes
580718	B2	absent	-

The test is passed with a minimum percentage of 60% of correct answers, out of the total number of questions.