

English language proficiency test results - Engineering Department 18/02/2026

ID number	Test level	Percentage of correct answers	Test passed
433466	B1	46	NO
490943	B1	61,5	Yes
527283	B1	87,5	Yes
528336	B1	60,5	Yes
534448	B1	95	Yes
542584	B1	78,5	Yes
542719	B2	61,1	Yes
544931	B1	65,5	Yes
545286	B2	62,61	Yes
553716	B1	74	Yes
553988	B2	61	Yes
554076	B1	64,5	Yes
554119	B1	absent	
554812	B1	70	Yes
557438	B2	42,11	NO
561749	B1	73,5	Yes
567198	B1	absent	
567423	B1	60,5	Yes
567527	B1	69,5	Yes
568755	B2	67,08	Yes
569049	B2	83,48	Yes
569303	B2	64,16	Yes
569807	B2	70,42	Yes
569871	B1	73	Yes
572964	B2	76,5	Yes
573783	B2	63,89	Yes
573787	B2	74,44	Yes
573802	B2	70,37	Yes
574398	B2	76,4	Yes
574499	B2	absent	
575079	B2	84,84	Yes
575098	B2	78,9	Yes
575112	B2	93,65	Yes
575534	B2	86,77	Yes
577146	B2	75,39	Yes
579733	B1	75	Yes
579867	B1	62,5	Yes

580132	B2	61,55	Yes
580241	B2	68,4	Yes
580615	B1	64	Yes
583747	B2	69,08	Yes
586384	B2	79,79	Yes
586861	B2	76,84	Yes

The test is passed with a minimum percentage of 60% of correct answers, out of the total number of questions.